

ENVIRONMENTAL
CLEARANCE



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), UTTAR PRADESH)

To,

The Add CEO UPEIDA
UTTAR PRADESH EXPRESSWAYS INDUSTRIAL DEVELOPMENT
AUTHORITY (UPEIDA)
Paryatan Bhawan , 2nd Floor , C-13, Vipin Khand Gomti Nagar , Lucknow
-226010

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/UP/INFRA1/456812/2023 dated 27 Dec 2023. The particulars of the
environmental clearance granted to the project are as below.

- | | |
|---|---|
| 1. EC Identification No. | EC24B031UP180313 |
| 2. File No. | 8628-6856 |
| 3. Project Type | New |
| 4. Category | B |
| 5. Project/Activity including
Schedule No. | 7(c) Industrial estates/ parks/ complexes/
areas, export processing Zones |
| 6. Name of Project | 'UP Defence Industrial Corridor' at Village
- Khutaira, Buktabuzurg, Tehsil- Karwi,
District- Chitrakoot, Uttar Pradesh |
| 7. Name of Company/Organization | UTTAR PRADESH EXPRESSWAYS
INDUSTRIAL DEVELOPMENT
AUTHORITY (UPEIDA) |
| 8. Location of Project | UTTAR PRADESH |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 04/03/2024

(e-signed)
Sanjeev Kumar Singh (IFS)
Member Secretary
SEIAA - (UTTAR PRADESH)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.

PARIVESH

(Pro-Active and Responsive Facilitation by Interactive,
and Virtuous Environmental Single-Window Hub)





State Level Environment Impact Assessment Authority, Uttar Pradesh

Directorate of Environment, U.P.

Vineet Khand-1, Gomti Nagar, Lucknow- 226010

E-Mail- doeuplko@yahoo.com, seiaaup@yahoo.com

Phone no- 0522-2300541

Reference- MoEFCC Proposal no- SIA/UP/INFRA1/456812/2023 & SEIAA, U.P. & File no-8628-6856

Sub: Environmental Clearance for Proposed UP Defence Industrial Corridor” at Village-Khutaira, Buktabuzurg, Tehsil- Karwi, District- Chitrakoot, U.P., Uttar Pradesh Expressways Industrial Development Authority (UPEIDA).

Dear Sir,

This is with reference to your application / letter dated 07-01-2022, 17-02-2022, 27-12-2023, 30-01-2024 on above mentioned subject. The matter was considered by 829th SEAC in meeting held on 31-01-2024 and 802nd SEIAA meeting held on 29-02-2024.

A presentation was made by the project proponent along with their consultant M/s EQMS India Pvt. Ltd to SEAC on 31-01-2024.

Project Details Informed by the Project Proponent and their Consultant

The project proponent, through the documents and presentation gave following details about their project –

1. The environmental clearance is sought for “UP Defence Industrial Corridor” at Village-Khutaira, Buktabuzurg, Tehsil- Karwi, District- Chitrakoot, U.P., Uttar Pradesh Expressways Industrial Development Authority (UPEIDA).
2. The terms of reference in the matter were issued by SEIAA, U.P. vide letter no. 11/Parya/SEIAA/6856/2021, dated 11/04/2022.
3. The public hearing was organized under the chairmanship of Additional District Magistrate, Chitrakoot on 15/07/2023 at Auditorium Block Pahari Tehsil Karwi, Chitrakoot. Final EIA report submitted by the project proponent on 27/12/2023.
4. The project will be spread over an area of 102.43 ha. The proposed project is an industrial area development which will have multiple engineering and secondary metallurgical industries.
5. Environmental sensitivity around the project site:

S. No.	Parameter	Description
1.	Presence of Wildlife Sanctuary/National Park/Biosphere Reserves	None within 10 km study area.
2.	Reserved /Protected Forests	None within the study area
3.	Wetland of State and National Interest	None within study area
4.	Presence of Schedule-I Fauna	None within study area
5.	Critically Polluted Area	None within study area
6	Site connectivity	Site is accessible through NH73 1A (connecting Citrakoot to Pratapgarh) which is passing along the southern boundary of the project.
7	Nearest Rail Station	Chitrakoot Dham located about 16 km from the site in southwest direction.
8	Nearest Airport	Prayagraj -75 km
9	Archaeologically important places	None
10	State Boundary	None

11	Defence Installation	There are no Defense installations
11	Water Bodies	Paisuni River(5.50km,N), Geduwa River(2.21km,SE) Ohan River(9.21km,SE)

6. Details of proposed industry under the project:

- Land Systems
- All calibre weapons
- All calibre ammunitions
- Explosive based units
- Maintenance and overhaul of battle tanks, armoured vehicles special vehicles, helicopters and other equipment's
- Unmanned Aerial Systems, Drones and Courier Drone Systems
- Special Vehicles
- Motors
- Engines
- Metallic Components
- Frames for Airplanes and Helicopters
- Robotics
- Electronics
- Common Facilities Centre
- Firing Ranges
- Testing Ranges
- Missiles and Components
- Satellite Components
- Electronic Warfare Systems

7. Salient features of the project:

S.No	Particulars	Unit	Details
1	Project Cost	Rs.	60 Crores
AREA DETAILS			
2	Total Plot Area	m ²	1024300 (102.43ha.)
3	Common Road Area (to be developed by UPEIDA) – (A)	m ²	87000
4	Area under services and common infrastructure	m ²	10000
5	Common Green Area (to be developed by UPEIDA) –(B)	m ²	106000
5	Total Plotted Area	m ²	821300
6	Ground Coverage (Permissible) (55%)	m ²	451715
7	Permissible FAR (1)	m ²	821300
8	Non-FAR Area/ Service Area (0.15)	m ²	123195
9	Built up area (FAR + Non-FAR)	m ²	944495
10	Parking –(C)	m ²	8213
11	Open Area (including Roads and green area)	m ²	562585
12	Green Area	m ²	(33% of total plot area out of which 10.5% of total area will be the common green area to be developed by UPEIDA rest of the green area will be developed by individual industries)
POPULATION/EMPLOYMENT			
13	Staff (@20 persons per 1000 m ²)	Nos.	15200

14	Visitor (20% additional)	Nos.	3040
15	Total Population	Nos.	18240
SERVICE DETAILS & ENVIRONMENTAL ASPECTS			
16	Total Water Requirement	KLD	3212
17	Fresh Water Requirement	KLD	2588 Industrial Purpose - 2254 Domestic-334,
18	Domestic Wastewater Generation	KLD	694
19	Wastewater Treatment Schemes	KLD	STP-750 MBBR Technology
20	Treated Water Available	KLD	624
21	Effluent Generation	KLD	1127
22	Power Requirement (Source: UPPCL)	MW	50

8. Land use details:

Particular	Area (Sqm)	Area (acre)	Area (ha)	%
Plotted area	821300	202.95	82.1300	80.18
Common Green Area	106000	26.19	10.6000	10.35
Common service and infrastructure	10000	2.47	5.7000	0.98
Common Road Area	87000	21.50	8.7000	8.49
Total Plot Area (A)	1024300	253.11	102.4	100.00

9. Water calculation details:

Particulars	Quantity	Factor	Total Water Requirement (in KLD)	Domestic Requirement (in KLD)	Flushing Requirement (in KLD)	Wastewater (in KLD)
Staff	15200	45	684	304	380	
Visitors	3040	25	76	30	46	
Sub-total			760	334	426	
Wastewater				268	426	693
Industrial Water	187.8	12 KLD/Acre	2254	2254	0	1127
Landscaping	106248		198			0
Total Water			3212			1820

10. Municipal Solid Waste Generation:

Category	Capacity	Standard-Kg/day	Total Waste-	Biodegradable Waste	Non-Biodegradable Waste
			kg/day	kg/day	kg/day
Domestic Waste					
Staff	15200	0.3	4560	1824	2736
Visitor	3040	0.15	456	182	274
Landscaping		0.2 Kg/acre	5	5	
Total Municipal Waste			5021	2011	3010
STP Sludge			6 kg/day		

11. Hazardous waste details:

S. No.	Category of Waste	Quantity	Disposal	Applicable Rule
1	Biodegradable Waste	2011 Kg/day	Common Waste Management Facility	Solid Waste Management Rules, 2016
2	Non-Biodegradable	3010 Kg/day	Shall be given to	Solid Waste Management

	waste (A+B)		Approved Recycler as per applicable Rule	Rules, 2016
A	Plastic Waste	1505 Kg/day		Plastic Waste Management Rules, 2016
B	Other Waste	1505 Kg/day		Solid Waste Management Rules, 2016
3	E-Waste	5 Kg/day		E-Waste (Handling & Management) Rules, 2018

12. Around 11,660 trees proposed to be planted by UPEIDA.

13. Rain water harvesting details:

Runoff Calculation		
Pre-Development Runoff		Unit
Catchment area	1024300	Sq.m
Coefficient	0.1	
Rainfall Intensity	0.020	m/day
Runoff	2048.6	cum/day
Post-Development Runoff		
Road area	87000	Sq.m
Coefficient	0.7	
Open space	106000	Sq.m
Coefficient	0.3	
Plotted area	831300	Sq.m
Coefficient	0.5	
Runoff	10167	cum/day
Recharge to be done considering 50% runoff	5083.5	Cum/day
Recharge Pit depth	4	Mt
Recharge Pit Dia	4	Mt
Recharge pit volume	50.27	Cum
No of recharge pits	101	No's

14. Action Plan as per Ministry's O.M. dated 30/09/2020:

- CER fund Rs. 1.20 crore shall be used to improve the drinking water facilities and Rainwater Harvesting in nearby villages.

15. The project proposal falls under category-7(c) of EIA Notification, 2006 (as amended).

Based on the recommendations of the State Level Expert Appraisal Committee Meeting (SEAC) held on 31-01-2024 the State Level Environment Impact Assessment Authority (SEIAA) in its Meeting held 29-02-2024 discussed the matter and recommended grant of environmental clearance on the proposal as above alongwith standard environmental clearance conditions prescribed by MoEF&CC, Govt of India and following additional conditions:

Additional Conditions:

- I. The project proponent shall ensure sufficient security and safety measures for avoiding hazardous accident.
- II. The project proponent shall install one CAQMS.
- III. The project proponent shall submit within the next 3 months the details on quantification of year wise CER activities along with cost and other details. The CER activities should be related to mitigation of Environmental Pollution and awareness for the same like water harvesting pits and carbon sequestration parks / designed ecosystems .At least two schools in the vicinity of project area should be provided with rooftop solar plant, toilets in public place or in school of nearby villages and if there is a girl's school then girls toilet properly equipped with overhead water tank should be

- constructed along with other proposed activities.
- IV. The project proponent will ensure that proper dust control arrangements are made during construction and proper display board is installed at the site to inform the public the steps taken to control air pollution as per air act 1981 (as amended) and the Construction and Demolition Waste Management Rules, CAQM guidelines.
 - V. A certificate from Forest Department shall be obtained that no forest land is involved and if forest land is involved the project proponent shall obtain forest clearance and permission of Central and State Government as per the provisions of Van Sanrakshan evam Samvardhan Adhiniyam, 2023 and submit before the start of work.
 - VI. If the proposed project is situated in notified area of ground water extraction, where creation of new wells for ground water extraction is not allowed, requirement of fresh water shall be met from alternate water sources other than ground water or legally valid source and permission from the competent authority shall be obtained to use it.
 - VII. **Project Proponent shall submit the Six-monthly Compliance on the Environment Clearance condition prescribed in the Prior Environment Clearance letter as per MoEF&CC OM F.no- IAS-22/01/2022-IA-III (E-172624) Dated 14-06-2022.**
 - VIII. Under the project, different purposes of area/land has been allotted, separate Environmental Clearance shall be taken for the project/activity having built-up area more than 20,000 sqm and any type of industry/activity covered under the provision of EIA Notification 2006, (as amended).
 - IX. Zone wise industries will be established. Buffer zone between the red, green and other industries should be maintained as green belt.
 - X. No ground water will be used under the project.
 - XI. UPEIDA should ensure that 33% area of the total plot area should be developed as green area with native place while allotting the land to the individual unit. UPEIDA should ensure its compliance.
 - XII. **Statutory compliance:**
 - i. The project proponent shall obtain forest clearance under the provisions of Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purpose involved in the project.
 - ii. The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.
 - iii. The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan / Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report, (in case of the presence of schedule-I species in the study area)
 - iv. The project proponent shall obtain Consent to Establish / Operate under the provisions of Air (Prevention & Control of Pollution) Act, 1981 and the Water (Prevention & Control of Pollution) Act, 1974 from the concerned State pollution Control Board/ Committee.
 - v. The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water / from the competent authority concerned in case of drawl of surface water required for the project.
 - vi. The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.
 - vii. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities.
 - viii. This environmental clearance is only for the said Industrial Area. Any other activity within the Industrial Area would require separate environmental clearance, as applicable under EIA Notification, 2006 as amended from time to time. For all the individual units, environmental clearances, as applicable, shall be obtained from the respective regulatory authorities.
 - ix. The buildings shall have adequate distance (as per local building bye laws) between them to allow movement of fresh air and passage of natural light, air and ventilation in accordance with guidelines of local authorities

XIII. Air quality monitoring and preservation

- i. The D.G. sets to be used during development/ construction phase shall be in conformity to Environment (Protection) Rules prescribed for air and noise emission standards. Storage of diesel shall be made underground and necessary approvals/permissions from Chief control of explosives to be obtained.
- ii. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking, loading and unloading shall be fully internalized and no public space shall be utilized.
- iii. Vehicles hired for bringing construction material to the site should have a Pollution Under Control (PUC) certificate and shall conform to applicable air and noise emission standards and shall be operated only during non-peak hours.

XIV. Water quality monitoring and preservation

- i. The project proponent shall install effluent monitoring system with respect to standards prescribed in Environment (Protection) Rules 1986.
- ii. Construction of storm water drains for collection, storage and its re-use as per guidelines of Central Ground Water Authority (CG WA).
- iii. Fixtures for showers, toilet flushing and drinking shall be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- iv. The quantity of fresh water usage, water recycling and rainwater harvesting shall be measured/recorded to ensure the water balance as projected by the project proponent. The record shall be submitted to the concerned Regional Office of the Ministry along with six monthly monitoring reports.
- v. Water demand during development/construction shall be reduced by use of pre-mixed concrete, curing agents and other best practices referred. Project specific
- vi. The project proponent shall monitor regularly ground water quality at least twice a year (pre and post monsoon) at sufficient numbers of piezometers/sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.
- vii. The project proponent shall make efforts to minimize water consumption in the industrial complex by segregation of used water, practicing cascade use and by recycling treated water.
- viii. Member industries shall treat the effluent to meet the prescribed CETP inlet norms.
- ix. The member units shall provide RCC tanks for storage of effluent for monitoring the characteristics of effluent before taking into the Common Effluent Treatment Plant (CETP) for further treatment.
- x. Proper flow meters along with online monitoring facilities shall be provided to monitor the effluent quality and quantity sent from member industries to CETP and from CETP to the final disposal/re-use on a continuous basis.
- xi. Weep holes in the compound walls shall be provided to ensure natural drainage of rain water in the catchment area during the monsoon period.
- xii. To achieve the Zero Liquid Discharge, waste water generated from different industrial operations shall be properly collected, treated to the prescribed standards and then recycled or reused for the identified uses. - Project specific.
- xiii. The project should not amend or alter the pathways of the natural streams or creeks/nallah flowing.
- xiv. Rain water harvesting for roof run-off and surface run-off, as plan submitted shall be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The borewell for rainwater recharging shall be kept at least 4 m above the highest ground water table.

XV. Noise monitoring and prevention

- i. Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- ii. The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during daytime and 70 dB(A) during night time

XVI. Energy Conservation measures

- i. Provide solar power generation on rooftops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- ii. Provide LED lights in their offices and residential areas.

XVII. Waste management

- i. Disposal of muck during development/construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority. The ground water quality of the adjacent to dumping area should be monitored and report should be submitted to MoEF&CC and its Regional Office concerned.
- ii. Fly ash bricks should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003 and 25th January, 2016.
- iii. All hazardous waste generated during development/ construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the Central Pollution Control Board/State Pollution Control Board.
- iv. Used LEDs shall be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible. Energy conservation measures should be as per Bureau of Energy Efficiency (BEE) standards.
- v. Air pollution and the solid waste management aspects need to be properly addressed ensuring compliance of the Construction and Demolition Waste Management Rules, 2016.
- vi. The solid waste generated shall be properly collected and segregated in accordance with the Solid Waste Management Rules, 2016. Wet garbage shall be composted and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material. No municipal waste shall be disposed off outside the premises

XVIII. Green Belt

- i. The UPEIDA should ensure that 33% area of the total plot area should be developed as green area with native place while allotting the land to the individual unit. UPEIDA should ensure its compliance.
- ii. Cutting of plants/trees are to be totally avoided by the construction labours. The contractor has to maintain log book for the purchase and distribution of fuel wood.
- iii. Management Plan for biodiversity conservation along with the implementation schedule should be prepared with the help of concerned government institution /state forest department, and same to be submitted to MoEF&CC and its Regional Office before commencement of work. Sufficient fund provision to be made to implement the same.
- iv. All the topsoil excavated during development/construction activities should be stored for use in horticulture/landscape development within the project site. Report should be submitted to MoEF&CC and its Regional Office concerned.
- v. For monitoring of land use pattern, a time series of landuse maps, based on satellite imagery (on a scale of 1: 5000) of the core zone and buffer zone, shall be prepared once in 3 years (for any one particular season which is consistent in the time series), and the report submitted to MOEF and its concerned Regional office.

XIX. Public hearing and Human health issues

- i. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- ii. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.

XX. Corporate Environment Responsibility

- i. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-1 A.11I dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- ii. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- iii. A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- iv. Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- v. Self-environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.
- vi. All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) regarding plants located in the industrial estates/park shall be implemented.
- vii. Special purpose vehicle shall be established for implementation, monitoring and compliance of the environmental safeguards.

XXI. Miscellaneous

- i. Construction material has to be brought from approved/authorized places.
- ii. Internal Road widths within the industrial area shall be minimum 18 m ROW.
- iii. Parking space to accommodate trucks, cars, two wheelers and bicycles shall be provided as per the norms.
- iv. The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.
- v. The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- vi. The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.

- vii. The project proponent shall monitor the criteria pollutants level namely; PM₁₀, SO₂, NO_x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.
- viii. The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- ix. The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- x. The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- xi. The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- xii. The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- xiii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- xiv. Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- xv. The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- xvi. The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.
- xvii. The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- xviii. The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- xix. Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Concealing factual data and information or submission of false/fabricated data and failure to comply with any of the conditions stipulated in the Prior Environmental Clearance attract action under the provision of Environmental (Protection) Act, 1986.

This Environmental Clearance is subject to ownership of the site by the project proponents in confirmation with approved Master Plan for Chitrakoot. In case of violation; it would not be effective and would automatically be stand cancelled.

The project proponent has to ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of the violation this permission shall automatically be deemed to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this Clearance shall automatically be deemed to be cancelled.

Further project proponent has to submit the regular 6 monthly compliance report regarding general & specific conditions as specified in the E.C. letter and comply the provision of EIA notification 2006 (as Amended).

These stipulations would be enforced among others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006 including the amendments and rules made thereafter.

Copy, through email, for information and necessary action to –

1. **Additional Chief Secretary, Department of Environment, Forest and Climate Change, Government of Uttar Pradesh, Lucknow (email – psforest2015@gmail.com)**
2. **Joint Secretary, Ministry of Environment, Forest and Climate Change, Government of India, 3rd Floor, Prithvi-Block, Indira Paryavaran Bhawan, Jor Bagh Road, New Delhi-110003 (email – sudheer.ch@gov.in)**
3. **Deputy Director General of Forests (C), Integ rated Regional Office, Ministry of Environment, Forest and Climate Change, Kendriya Bhawan, 5th Floor, Sector “H”, Aliganj, Lucknow – 226020 (email – rocz.lko -mef@nic.in)**
4. **District Magistrate, Chitrakoot.**
5. **Member Secretary, Uttar Pradesh Pollution Control Board, TC-12V, Paryavaran Bhawan, Vibhuti Khand, Gomti Nagar, Lucknow-226010 (email – ms@uppcb.com)**
6. **Copy to Web Master for uploading on PARIVESH Portal.**
7. **Copy for Guard File.**

(Sanjeev Kumar Singh)
Member Secretary, SEIAA

